

SHEET
DETAILS

TYPE

L-01-EN

EXT. CORNER FLASHING, TYPE1 (TPE100-TPE300)

L-02-EN

CORNER FLASHING, TYPE2, (TPE100-TPE300)

L-03-EN

VERTICAL JOINT FLASHING

L-04-EN

INTERNAL CORNER FLASHING

L-05-EN

PLINTH FLASHING, STANDARD

L-06-EN

PLINTH FLASHING WITH CUSTOMER'S DIMENSIONS

L-07-EN

SEALING LEDGE

TURUN PELTI JA ERISTYS LTD, ALL RIGHTS RESERVED




TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

SHEET METAL FLASHINGS
SHEET OF CONTENT

MATERIAL THICKNESS 0.60MM
CUTTING WIDTH 520MM



FLASHING IS INSTALLED WITH SEALING LEDGE L-09

100MM ELEMENT

COATING

COLOUR

LENGTH

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED




TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

EXT. CORNER FLASHING, TYPE I

L-01-EN 100

MATERIAL THICKNESS 0.60MM
CUTTING WIDTH 560MM



FLASHING IS INSTALLED WITH SEALING LEDGE L-09

120MM ELEMENT

COATING				
COLOUR				
LENGTH				
QUANTITY				
SHIPPING ADDRESS				
DELIVERY DATE				
CUSTOMER				

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED




TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

EXT. CORNER FLASHING, TYPE I

L-01-EN 120

MATERIAL THICKNESS 0.60MM
CUTTING WIDTH 620MM



150MM ELEMENT

COATING				
COLOUR				
LENGTH				
QUANTITY				
SHIPPING ADDRESS				
DELIVERY DATE				
CUSTOMER				

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED




TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

EXT. CORNER FLASHING, TYPE I

L-01-EN 150

MATERIAL THICKNESS 0.60MM
CUTTING WIDTH 670MM



175MM ELEMENT

COATING

COLOUR

LENGTH

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE

TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ


DATE
04.2020

EXT. CORNER FLASHING, TYPE I

L-01-EN 175

MATERIAL THICKNESS 0.60MM
CUTTING WIDTH 720MM

300MM



FLASHING IS INSTALLED WITH SEALING LEDGE L-09

200MM ELEMENT

COATING

COLOUR

LENGTH

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE

TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

EXT. CORNER FLASHING, TYPE I

L-01-EN 200

MATERIAL THICKNESS 0.6 MM
CUTTING WIDTH 800MM

340MM

25 MM
25 MM

10MM
PRESSED

340MM

25 MM
25 MM

10MM
PRESSED

FLASHING IS INSTALLED WITH SEALING LEDGE L-09

240MM ELEMENT

COATING				
COLOUR				
LENGTH				
QUANTITY				
SHIPPING ADDRESS				
DELIVERY DATE				
CUSTOMER				

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED



TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

EXT. CORNER FLASHING, TYPE I

L-01-EN 240

MATERIAL THICKNESS 0.6 MM
CUTTING WIDTH 280MM

110MM



170MM

FLASHING IS INSTALLED WITH VERTICAL JOINT COVER
STRIP L-03

100MM ELEMENT

COATING

COLOUR

LENGTH

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE

TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

CORNER FLASHING, TYPE 2

L-02-EN 100

MATERIAL THICKNESS 0.6 MM
CUTTING WIDTH 320MM

130MM



190MM

FLASHING IS INSTALLED WITH VERTICAL JOINT COVER
STRIP L-03

120MM ELEMENT

COATING

COLOUR

LENGTH

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE

TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

CORNER FLASHING, TYPE 2

L-02-EN I20

MATERIAL THICKNESS 0.6 MM
CUTTING WIDTH 380MM

160MM



220MM

FLASHING IS INSTALLED WITH VERTICAL JOINT COVER
STRIP L-03

150MM ELEMENT

COATING

COLOUR

LENGTH

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED



TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

CORNER FLASHING, TYPE 2

L-02-EN I50

MATERIAL THICKNESS 0.6 MM
CUTTING WIDTH 430MM

185 MM



245 MM

FLASHING IS INSTALLED WITH VERTICAL JOINT COVER
STRIP L-03

175MM ELEMENT

COATING

COLOUR

LENGTH

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED



TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

CORNER FLASHING, TYPE 2

L-02-EN 175

MATERIAL THICKNESS 0.6 MM
CUTTING WIDTH 480MM

210MM



270MM

FLASHING IS INSTALLED WITH VERTICAL JOINT COVER
STRIP L-03

200MM ELEMENT

COATING

COLOUR

LENGTH

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE

TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

CORNER FLASHING, TYPE 2

L-02-EN 200

MATERIAL THICKNESS 0.6 MM
CUTTING WIDTH 560MM

250MM



310MM

FLASHING IS INSTALLED WITH VERTICAL JOINT COVER
STRIP L-03

240MM ELEMENT

COATING

COLOUR

LENGTH

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED



TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

CORNER FLASHING, TYPE 2

L-02-EN 240

MATERIAL THICKNESS 0.6 MM
CUTTING WIDTH 680MM

310MM

370MM

FLASHING IS INSTALLED WITH VERTICAL JOINT COVER
STRIP L-03

300MM ELEMENT

COATING

COLOUR

LENGTH

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE

TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020


CORNER FLASHING, TYPE 2

L-02-EN 300

MATERIAL THICKNESS 0.6 MM
CUTTING WIDTH 250MM

10MM
PRESSED

10MM
PRESSED



COATING

COLOUR

LENGTH

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED




TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

VERTICAL JOINT FLASHING

L-03-EN

MATERIAL THICKNESS 0.6 MM
CUTTING WIDTH 300MM



COATING

COLOUR

LENGTH

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE


TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

INTERNAL CORNER FLASHING

L-04-EN

MATERIAL THICKNESS 0.6 MM



COATING

COLOUR

LENGTH

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE


TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

PLINTH FLASHING, STANDARD

L-05-EN

MATERIAL THICKNESS 0.6 MM



COATING

COLOUR

LENGTH

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE


TURUN PELTI JA ERISTYS OY
VARESPPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

PLINTH FLASHING WITH CUSTOMER'S DIMENSIONS

L-06-EN

MATERIAL THICKNESS 0.6 MM
CUTTING WIDTH 220MM



100MM ELEMENT

COATING

COLOUR

LENGTH

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED



TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

SEALING LEDGE

L-07-EN 100

MATERIAL THICKNESS 0.6 MM
CUTTING WIDTH 240MM

60MM



180MM

120MM ELEMENT

COATING

COLOUR

LENGTH

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE

TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ


DATE
04.2020

SEALING LEDGE

L-07-EN I20

MATERIAL THICKNESS 0.6 MM
CUTTING WIDTH 270MM

60MM



210MM

150MM ELEMENT

COATING

COLOUR

LENGTH

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE

TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

SEALING LEDGE

L-07-EN I50

MATERIAL THICKNESS 0.6 MM
CUTTING WIDTH 295 MM

60MM



235 MM

175MM ELEMENT

COATING

COLOUR

LENGTH

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE

TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

SEALING LEDGE

L-07-EN 175

MATERIAL THICKNESS 0.6 MM
CUTTING WIDTH 320MM

60MM



260MM

200MM ELEMENT

COATING

COLOUR

LENGTH

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE

TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

SEALING LEDGE

L-07-EN 200

MATERIAL THICKNESS 0.6 MM
CUTTING WIDTH 360MM

60MM



300MM

240MM ELEMENT

COATING

COLOUR

LENGTH

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE

TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

SEALING LEDGE

L-07-EN 240

MATERIAL THICKNESS 0.6 MM
CUTTING WIDTH 420MM

60MM



360MM

300MM ELEMENT

COATING

COLOUR

LENGTH

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE

TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

SEALING LEDGE

L-07-EN 300