

UTILITIES DETAILS

TYPE

T-01-EN	PLINTH PURLIN (TPE100-TPE300)
T-02-EN	U-PURLIN (TPE100-TPE300)
T-03-EN	U-PURLIN TPE240 THERMAL
T-04-EN	EXTRUSION OF THE TOP END
T-05-EN	VEMO-FASTENING

TURUN PELTI JA ERISTYS LTD, ALL RIGHTS RESERVED




TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIikkiö

DATE
04.2020

TPE UTILITIES DETAILS
SHEET OF CONTENT

ELEMENT	INSIDE DIMENSION
100MM	85 MM
120MM	104 MM
150MM	136 MM
175MM	158 MM
200MM	187 MM
240MM	225 MM
300MM	287 MM



ELEMENT MM

HANDLING ZINC COATED

STANDARD LENGTH 3000 MM

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE


TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKÖ

DATE
04.2020

PLINTH PURLIN

T-01-EN

MATERIAL THICKNESS 1.20 MM ZINC
COATED, L≤ 3000 MM



100MM ELEMENT

HANDLING ZINC COATED

STANDARD LENGTH 3000 MM

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE


TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKÖ

DATE
04.2020

PLINTH PURLIN

T-01-EN 100

MATERIAL THICKNESS 1.20 MM ZINC
COATED, L≤ 3000 MM



I20MM ELEMENT

HANDLING ZINC COATED

STANDARD LENGTH 3000 MM

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE


TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKÖ

DATE
04.2020

PLINTH PURLIN

T-01-EN I20

MATERIAL THICKNESS 1.20 MM ZINC
COATED, L≤ 3000 MM



150MM ELEMENT

HANDLING ZINC COATED

STANDARD LENGTH 3000 MM

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE


TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

PLINTH PURLIN

T-01-EN 150

MATERIAL THICKNESS 1.20 MM ZINC
COATED, L≤ 3000 MM



175MM ELEMENT

HANDLING

ZINC COATED

STANDARD LENGTH

3000 MM

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE


TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKÖ

DATE
04.2020

PLINTH PURLIN

T-01-EN 175

MATERIAL THICKNESS 1.20 MM ZINC
COATED, L≤ 3000 MM



200MM ELEMENT

HANDLING

ZINC COATED

STANDARD LENGTH

3000 MM

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE


TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

PLINTH PURLIN

T-01-EN 200

MATERIAL THICKNESS 1.20MM ZINC COATED,
 $L \leq 3000\text{MM}$



240MM ELEMENT

HANDLING

ZINC COATED

STANDARD LENGTH

3000 MM

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE


TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

PLINTH PURLIN

T-01-EN 240

MATERIAL THICKNESS 1.20MM ZINC COATED,
 $L \leq 3000\text{MM}$



300MM ELEMENT

HANDLING

ZINC COATED

STANDARD LENGTH

3000 MM

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE

TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ


DATE
04.2020

PLINTH PURLIN

T-01-EN 300

MATERIAL THICKNESS 1.20 MM

ELEMENT	INSIDE DIMENSION
100MM	102 MM
120MM	121 MM
150MM	152 MM
175MM	174 MM
200MM	203 MM
240MM	244 MM
300MM	305 MM



ELEMENT MM

HANDLING ZINC COATED

STANDARD LENGTH 3000 MM

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE

TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKÖ

DATE
04.2020

U-PURLIN, EXTERNAL

T-02-EN

MATERIAL THICKNESS 1.20 MM
CUTTING WIDTH 182 MM

INSIDE DIMENSION 102



100MM ELEMENT

HANDLING ZINC COATED
STANDARD LENGTH 3000 MM
QUANTITY _____
SHIPPING ADDRESS _____
DELIVERY DATE _____
CUSTOMER _____

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE


TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

U-PURLIN, EXTERNAL

T-02-EN 100

MATERIAL THICKNESS 1.20 MM
CUTTING WIDTH 201 MM



I20MM ELEMENT

HANDLING

ZINC COATED

STANDARD LENGTH

3000 MM

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE


TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

U-PURLIN, EXTERNAL

T-02-EN I20

MATERIAL THICKNESS 1.20 MM
CUTTING WIDTH 232 MM



I50MM ELEMENT

HANDLING ZINC COATED
STANDARD LENGTH 3000 MM
QUANTITY _____
SHIPPING ADDRESS _____
DELIVERY DATE _____
CUSTOMER _____

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE


TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKÖ

DATE
04.2020

U-PURLIN, EXTERNAL

T-01-EN I50

MATERIAL THICKNESS 1.20 MM
CUTTING WIDTH 254 MM



175MM ELEMENT

HANDLING ZINC COATED
STANDARD LENGTH 3000 MM
QUANTITY _____
SHIPPING ADDRESS _____
DELIVERY DATE _____
CUSTOMER _____

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE


TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

U-PURLIN, EXTERNAL

T-02-EN 175

MATERIAL THICKNESS 1.20 MM
CUTTING WIDTH 283 MM



200MM ELEMENT

HANDLING ZINC COATED

STANDARD LENGTH 3000 MM

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE

TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

U-PURLIN, EXTERNAL

T-02-EN 200

MATERIAL THICKNESS 1.20MM
CUTTING WIDTH 324 MM

INSIDE DIMENSION 244



240MM ELEMENT

HANDLING

ZINC COATED

STANDARD LENGTH

3000 MM

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE

TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

U-PURLIN, EXTERNAL

T-02-EN 240

MATERIAL THICKNESS 1.20MM
CUTTING WIDTH 385MM

INSIDE DIMENSION 305



300MM ELEMENT

HANDLING

ZINC COATED

STANDARD LENGTH

3000 MM

QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE


TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKIÖ

DATE
04.2020

U-PURLIN, EXTERNAL

T-02-EN 300

MATERIAL THICKNESS 1.20 MM
CUTTING WIDTH 294 MM



ONLY 240MM ELEMENT

HANDLING ZINC COATED
STANDARD LENGTH 3000 MM
QUANTITY

SHIPPING ADDRESS

DELIVERY DATE

CUSTOMER

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED


TPE

TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKÖ

DATE
04.2020

U-PURLIN, EXTERNAL
THERMAL HOLES

T-03-EN 240



LENGTH L=3000

GENERAL GUIDANCE

PLATE: MATERIAL THICKNESS 3MM OR BY THE LOADING, MATERIAL ZINC COATED

HOLDS: HOLE WITH TOLERANCE VERTICALLY 7X40 MM KK400, MOUNTING HOLE D10 KK400

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS
RESERVED

TPE



TURUN PELTI JA ERISTYS OY
VARESPELLONTIE 10
21500 PIIKKÖ

DATE
04.2020

EXTRUSION OF THE TOP END

T-04-EN

PLATE ON THE CORNER



GENERAL GUIDANCE

PLATE SOMEWHERE ELSE

PLATE: MATERIAL THICKNESS 3MM OR 4MM BY THE LOADING, WHITE MATERIAL (OR COLOUR OF THE WALL) MATERIAL KZN OR RST/HST, BY THE THREAD ROD
HOLES: SMALLER FOR THE SELF-TAPPING SCREW D=7MM AND BIGGER FOR THE THREAD ROD D=14MM OR 18MM

PRINCIPLE MASTER DETAIL, NOT FOR DIMENSIONING.
TURUN PELTI JA ERISTYS LTD, ALL RIGHTS RESERVED